
better-boto

Release 0.5.20

eamonn faherty

Apr 04, 2019

CONTENTS:

- 1 Client 1**
 - 1.1 What is this? 1
 - 1.2 Classes 1
- 2 CloudFormation helpers 3**
 - 2.1 What is this? 3
 - 2.2 Methods 3
- 3 Organizations helpers 5**
 - 3.1 What is this? 5
 - 3.2 Methods 5
- 4 Service Catalog helpers 7**
 - 4.1 What is this? 7
 - 4.2 Methods 7
- Python Module Index 9**

CLIENT

1.1 What is this?

With the following clients you can use them as context managers and they provide extra functionality for you. Each client is documented below:

1.2 Classes

CLOUDFORMATION HELPERS

2.1 What is this?

The following methods are added to clients instantiated using Betterboto:

2.2 Methods

ORGANIZATIONS HELPERS

3.1 What is this?

The following methods are added to clients instantiated using Betterboto:

3.2 Methods

`betterboto.organizations.convert_path_to_ou(self, ou)`

This method accepts an ou and returns the path from the root account down to the ou

Parameters

- **self** – organizations client
- **ou** – the account

Returns the path from the root account down to the ou

`betterboto.organizations.list_children_nested(self, **kwargs)`

This method will return a list of all children (either ACCOUNT or ORGANIZATIONAL_UNIT) for the given ParentId. It includes children, grandchildren lower levels of nesting.

Parameters

- **self** – organizations client
- **kwargs** – these are passed onto the list_children method call

Returns list of children in the structure of [{ 'Id': "0123456789010"}, { 'Id': "1009876543210"}]

`betterboto.organizations.list_children_single_page(self, **kwargs)`

This will continue to call list_children until there are no more pages left to retrieve. It will return the aggregated response in the same structure as list_children does.

Parameters

- **self** – organizations client
- **kwargs** – these are passed onto the list_children method call

Returns organizations_client.list_children.response

SERVICE CATALOG HELPERS

4.1 What is this?

The following methods are added to clients instantiated using Betterboto:

4.2 Methods

`betterboto.servicecatalog.list_portfolios_single_page(self, **kwargs)`

This will continue to call `list_portfolios` until there are no more pages left to retrieve. It will return the aggregated response in the same structure as `list_portfolios` does.

Parameters

- **self** – servicecatalog client
- **kwargs** – these are passed onto the `list_portfolios` method call

Returns `servicecatalog_client.list_portfolios.response`

`betterboto.servicecatalog.list_provisioning_artifacts_single_page(self, **kwargs)`

This will continue to call `list_provisioning_artifacts` until there are no more pages left to retrieve. It will return the aggregated response in the same structure as `list_provisioning_artifacts` does.

Parameters

- **self** – servicecatalog client
- **kwargs** – these are passed onto the `list_provisioning_artifacts` method call

Returns `servicecatalog_client.list_provisioning_artifacts.response`

`betterboto.servicecatalog.search_products_as_admin_single_page(self, **kwargs)`

This will continue to call `search_products_as_admin` until there are no more pages left to retrieve. It will return the aggregated response in the same structure as `search_products_as_admin` does.

Parameters

- **self** – servicecatalog client
- **kwargs** – these are passed onto the `search_products_as_admin` method call

Returns `servicecatalog_client.search_products_as_admin.response`

PYTHON MODULE INDEX

b

`betterboto.organizations`, [5](#)
`betterboto.servicecatalog`, [7](#)

INDEX

B

`betterboto.organizations` (*module*), 5
`betterboto.servicecatalog` (*module*), 7

C

`convert_path_to_ou()` (*in module betterboto.organizations*), 5

L

`list_children_nested()` (*in module betterboto.organizations*), 5
`list_children_single_page()` (*in module betterboto.organizations*), 5
`list_portfolios_single_page()` (*in module betterboto.servicecatalog*), 7
`list_provisioning_artifacts_single_page()` (*in module betterboto.servicecatalog*), 7

S

`search_products_as_admin_single_page()` (*in module betterboto.servicecatalog*), 7