better-boto

Release 0.5.20

eamonn faherty

Apr 04, 2019

CONTENTS:

1 Client **1**
- 1.1 What is this? . . . 1
- 1.2 Classes . . . 1

2 CloudFormation helpers **3**
- 2.1 What is this? . . . 3
- 2.2 Methods . . . 3

3 Organizations helpers **5**
- 3.1 What is this? . . . 5
- 3.2 Methods . . . 5

4 Service Catalog helpers **7**
- 4.1 What is this? . . . 7
- 4.2 Methods . . . 7

Python Module Index **9**

CHAPTER

ONE

CLIENT

1.1 What is this?

With the following clients you can use them as context managers and they provide extra functionality for you. Each client is documented below:

1.2 Classes

CHAPTER

TWO

CLOUDFORMATION HELPERS

2.1 What is this?

The following methods are added to clients instantiated using Betterboto:

2.2 Methods

CHAPTER

THREE

ORGANIZATIONS HELPERS

3.1 What is this?

The following methods are added to clients instantiated using Betterboto:

3.2 Methods

betterboto.organizations.**convert_path_to_ou**(*self*, *ou*)

This method accepts an ou and returns the path from the root account down to the ou

Parameters

- **self** – organizations client
- **ou** – the account

Returns the path from the root account down to the ou

betterboto.organizations.**list_children_nested**(*self*, ***kwargs*)

This method will return a list of all children (either ACCOUNT or ORGANIZATIONAL_UNIT) for the given ParentId. It includes children, grandchildren lower levels of nesting.

Parameters

- **self** – organizations client
- **kwargs** – these are passed onto the list_children method call

Returns list of children in the structure of [{'Id': "0123456789010"}, {'Id': "1009876543210"}]

betterboto.organizations.**list_children_single_page**(*self*, ***kwargs*)

This will continue to call list_children until there are no more pages left to retrieve. It will return the aggregated response in the same structure as list_children does.

Parameters

- **self** – organizations client
- **kwargs** – these are passed onto the list_children method call

Returns organizations_client.list_children.response

CHAPTER

FOUR

SERVICE CATALOG HELPERS

4.1 What is this?

The following methods are added to clients instantiated using Betterboto:

4.2 Methods

betterboto.servicecatalog.**list_portfolios_single_page**(*self*, ***kwargs*)

This will continue to call list_portfolios until there are no more pages left to retrieve. It will return the aggregated response in the same structure as list_portfolios does.

Parameters

- **self** – servicecatalog client
- **kwargs** – these are passed onto the list_portfolios method call

Returns servicecatalog_client.list_portfolios.response

betterboto.servicecatalog.**list_provisioning_artifacts_single_page**(*self*, ***kwargs*)

This will continue to call list_provisioning_artifacts until there are no more pages left to retrieve. It will return the aggregated response in the same structure as list_provisioning_artifacts does.

Parameters

- **self** – servicecatalog client
- **kwargs** – these are passed onto the list_provisioning_artifacts method call

Returns servicecatalog_client.list_provisioning_artifacts.response

betterboto.servicecatalog.**search_products_as_admin_single_page**(*self*, ***kwargs*)

This will continue to call search_products_as_admin until there are no more pages left to retrieve. It will return the aggregated response in the same structure as search_products_as_admin does.

Parameters

- **self** – servicecatalog client
- **kwargs** – these are passed onto the search_products_as_admin method call

Returns servicecatalog_client.search_products_as_admin.response

PYTHON MODULE INDEX

b

betterboto.organizations, 5
betterboto.servicecatalog, 7

INDEX

B

betterboto.organizations (*module*), 5
betterboto.servicecatalog (*module*), 7

C

convert_path_to_ou() (*in module betterboto.organizations*), 5

L

list_children_nested() (*in module betterboto.organizations*), 5
list_children_single_page() (*in module betterboto.organizations*), 5
list_portfolios_single_page() (*in module betterboto.servicecatalog*), 7
list_provisioning_artifacts_single_page() (*in module betterboto.servicecatalog*), 7

S

search_products_as_admin_single_page() (*in module betterboto.servicecatalog*), 7